

ProFouND: Prevention of Falls Network for Dissemination

DELIVERABLE D 3.1

CONTENT CLASSIFICATION SCHEME

Document Type: Deliverable
Dissemination Level: PU (public)
Editor: WP3
Document state: Final

Document version: 1.1

Contributing Partners: NTNU, GCU, RBMF, UNIMAN, HOPA, bfu, ISCIII,

Demokritos, Vasterbotten, CSI

Contributing WPs: WP2 and WP4

Estimated P/M (if applicable): 3.2

Date of Completion: 28/06/2013

Date of Delivery to EC: 15/07/2013 (month 4)

Number of Pages: 12

Executive summary

1. D	escription of deliverable and tasks for WP3	page 3
2. D	evelopment of content classification scheme	page 4
2.1	Categorisation of resources and Tags	page 4
2.1.1.	Categorisation of resources and on the website	page 4
2.1.2.	Tags	page 6
2.2	Test on the classification scheme on the Web of Science	page 11

1. Description of deliverable and tasks for WP3

The ProFouND website will be a resource for the community of falls prevention practitioners and the community of technology developers and manufacturers. It will provide a "one stop shop" for people looking for information about the domains related to falls prevention and ICT.

WP3 is responsible for the resources content management. The overall objective for WP3 is to provide the technical content for the ProFouND website resources library. Each member of the crowd will source and catalogue resources and add them to the resources library, by use of the protocol/content classification scheme.

The overall aim for WP3 is to provide technical content of the ProFouND website resource library by

- Co-ordinate crowdsourcing of content
- Define architecture of categorisation schemes
- Moderate content input

The deliverable for WP3 month 4 was the following:

D3.1

Content classification scheme: Devise a content management system with discipline, intervention, location, population, technology, and study design specific areas. Devise consensus protocol for assessing robustness of resource items (e.g. following "evidence pyramid" approach) [month 4]

WP3 has performed and completed the following tasks during the first four months (M1-4):

Task 3.1:

Divide the work of populating the content management system into discipline interest areas such as epidemiology of falls, interventions to reduce falls in hospitals; in residential and nursing homes; in community dwelling; special populations and disease groups; exercise based interventions; environmental modification interventions; medications; trials, motivation, and ICT approaches, different technologies, active and passive monitoring, and different sensor types, balance technologies etc. Devise consensus protocol for assessing robustness of resource items (e.g. following "evidence pyramid" approach)

Task 3.2:

Devise content classification scheme(s) and test on retrospective resources from e.g. Web of Science searches.

This report includes a description of the work undertaken for Task 3.1 and 3.2, where the content classification scheme has been developed, revised and tested.

2. Development of a content classification scheme

The work for the content classification scheme has been carried out by WP3, led by the group in Trondheim, in close collaboration with WP2 and WP4.

The classification scheme is presented in the following document along with descriptions on how the work within this scheme has been carried out.

The resource categories were also tested by use of simple searches on the Web of Science, and gave us input on relevance as well as to test volume of retrospective resources available. The searches indicated, not surprisingly, that geriatrics and gerontology is the main category of reports for all of our categories. The results from these searches are included in section 2.2 on page 11.

2.1 Categorisation of resources and Tags

A classification scheme is utilized to structure the content classification for the website. It includes

- 1) Categories for classification of resources on the website
- 2) Tags to be used on all resources

Thus, it is important to choose categories that cover the full spectrum of content that is planned to be uploaded on the website. The categories can also be used for RSS feeds. Each source of content can be classified under each category, and thus, the categories may partly overlap.

It was important to come up with a simple scheme that included the most important categories, to facilitate simple search and retrieval of resources from the website.

The decision for the included discipline interest areas was developed in collaboration between WP2, WP3 and WP4, based on the experiences from the development and function of the ProFaNE website (http://profane.co/).

The suggestion for a classification scheme was then sent to all partners for input and suggestions. Response from 6 partners was collected, and included in the final review of the scheme. These partners provided input on both the tags and the content categories, and several changes based on this input were made on the version presented in this document.

It should be noted that because of differences in culture and organisation of health care between countries some tag groups could be difficult to use or judge.

2.1.1. Categorisation of resources on the website

The categorisation includes the system that should be used when resources are presented on the website.

The resources on the website will be organised following these categories (Table 1):

Table 1: Website resource categories

Category	(content)	Resources
Falls	Will include the definition of falls etc.	
Epidemiology of falls	Number of falls, risk of falls, injury etc.	
	Fall interventions in hospitals (including	
Interventions in hospitals	day hospitals)	
Interventions in	Fall interventions in residential or nursing	
residential and nursing	homes	
homes		
Interventions in		
community dwelling	Fall interventions in community dwelling	
elders	elders	
1.1	(including outpatient care)	
Interventions in special	Fall interventions in special populations	
populations and disease	and	
groups Exercise based	disease groups	f.ex the transferred
interventions	Exercise based interventions	booklets with excercises
Environmental	Exercise bused interventions	bookiets with exercises
	Environmental modification interventions	
Clinical trials	Research reporting clinical trials	
Psychological	nescurent reporting emiliar trials	
interventions	Motivation, education etc.	
	New applications, technology, tech games	
Technology	etc.	e.g. the cell phone app
Implementation	Implementation strategies and guidelines	
		e.g. fall prevention
Events	Events organized by consortium partners	weeks, conferences etc

Some resources will be available under more than one category to improve accessibility.

After input from the other partners, two further categories were added to the website organisation of resources (<u>highlighted in yellow</u>), as well as some additional content descriptions. Where to put the generic advices was also further discussed further, and a separate category may be included in the final version of the scheme.

Suggestions for a separate category of "good practice" were given, but were not included because all content should be "best practice". Furthermore, we also did not include data base harmonisation as a category, but this will be discussed further and may be included in the final version of the scheme.

Comments on the importance of highlighting other areas than exercise and technology alone, such as pharmaceuticals, food and vitamins were also made.

2.1.2 Tags

Tags are non-hierarchical keywords that will be assigned to each resource on the website to help describe the resource and facilitate access by allowing it to be found by searching. We have suggested the use of 6 compulsory tag groups as well as a group of additional tags.

How to use tags: All resources on the website should have a minimum of 6 tags, at least one from each of the compulsory groups of tags. A resource could have more than one tag from one of the compulsory tag groups, as well as include one or more from the additional tags.

Table 2: Overview of the Tag Groups, the Tags, and the Description for use:

Table 2. Overview	V OI LITE TAG GIOUL	os, the Tags, and the Description for use:		
TAG GROUP	TAG	Description		
Related to app				
	Not relevant for			
1)Related to APP	app			
	Will be decided to	ogether with RBMF (Clemens Becker) WP1 - when we know		
1)Related to APP	the wording on A	the wording on APP		
1)Related to APP	1)Related to APP			
Language				
2)Language of				
resource	English	Resource in the English Language		
2)Language of	G			
resource	Norwegian	Resource in the Norwegian Language		
2)Language of				
resource	Greek	Resource in the Greek Language		
2)Language of	C. CC.			
resource	German	Resource in the German Language		
2)Language of	German	Resource in the German Language		
resource	Spanish	Resource in the Spanish Language		
2)Language of	эринэн	Nesource in the Spanish Language		
resource	Italian	Resource in the Italian Language		
2)Language of	rtanan	Nesource in the Italian Language		
resource	Dutch	Resource in the Dutch Language		
2)Language of	Dutch	Nesource in the Dutch Language		
resource	Hungerian	Resource in the Hungerian Language		
2)Language of	Hungerian	Nesource in the Hungerian Language		
resource	Swedish	Resource in the Swedish Language		
	Swedisii	Resource in the Swedish Language		
2)Language of resource	French	Pasaurea in the French Language		
2)Language of	FIERCII	Resource in the French Language		
	Finnish	Descured in the Finnish Language		
resource	FIIIIIISII	Resource in the Finnish Language		
2)Language of	Turkich	Descured in the Turkich Language		
resource Organisation/	Turkish	Resource in the Turkish Language		
Organisation/				
setting				
3)Organisations/	l loomital	Toward manufaction is begained assessed		
settings	Hospital	Target population is hospital wards		
3)Organisations/	Cana harras	Toward manufaction is associated as a second second		
settings	Care homes	Target population is care home residents		
3)Organisations/	Community	#		
settings	dwellers	Target population is community dwellers		
3)Organisations/	Housing			
settings	<u>corporations</u>	Target population is housing corporations/associations		
3)Organisations/				
settings	Older persons	Target population is older persons in general		
3)Organisations/	Insurance			
settings	agencies	Target population is insurance agencies		
3)Organisations/	Primary health			
settings	care systems	Resource related to the Primary health care system		
3)Organisations/	Senior citizen	Resource related to Senior citizen organisations		

_	organisations	
3)Organisations/ F	Health	
	administration	Resource related to Health administration
3)Organisations/		
	Health authorities	Resource related to Health authorities
3)Organisations/	_	
settings G	Government	Resource related to the Government
	ula ia	
	Non-	Described are related to non-governmental
, , , , ,	governmental organisations	Resource that are related to non-governmental organisations
_	Profit	organisations
	organisations	Resource that has a cost associated
3)Organisations/	3. ga	
settings		
3)Organisations/		
settings		
3)Organisations/		
settings		
Professions and inter	rest groups	
,	Geriatricians	Resource has content relevant for Geriatricians
	Podiatrists/Chiro	December 2 and and an Investor from Decline to /Chinese a distance
,	oodists	Resource has content relevant for Podiatrists/Chiropodists
4) Profession P	Psychologists	Resource has content relevant for Psychologists
4) Profession G	GP	Resource is relevant for a General practitioner or a Physician
4) F1016331011	JF	Resource is relevant for instructors/leaders of fall
4) Profession F	itness leaders	prevention groups or interventions
	Nurses	Resource has content relevant for Nurses
	Occupational	
	herapist	Resource has content relevant for Occupational therapists
· ·	Physiotherapist	Resource has content relevant for Physiotherapists
_ ·	, Multidisciplinary	Resource is relevant for several disciplines or
4) Profession to	eam	multidisciplinary teams
4) Drofossias	Como give ve	Decourse relevant for corresivers (femily at-)
	Caregivers	Resource relevant for caregivers (family etc)
	Non-specific	Resource that are non-specific related to professions
Type of resource		Technology that covers all area where equipment and
5) Type of		technology are used in the falls prevention, including
	Гесhnology	flooring, mobile applications, exercise equipment,
	<i>5,</i>	assessment devices (electronic gait mat etc), gaming (wii fit
		etc) etc
5) Type of		•
	/ideo Clip	Short movie clip that covers an area of interest to falls
		prevention (should have additional tag on area of interest)
5) Type of		Leaflet on falls prevention information for older people, a
resource L	_eaflet	few pages long with generalised in content (should have
		additional tag on language)
5) Type of R	Research	Key publications from high quality research on falls and falls

resource		prevention (should have additional tags on content and target population)
5) Type of		Best practice guidelines for falls prevention (should have
resource	Guidelines	additional tags on type of resource)
5) Type of		Description of how to successfully implement the falls
resource	Implementation	prevention
5) Type of	,	
resource	Book	Book with content related to fall prevention
5) Type of		
resource	Power point	Power point presentations
5) Type of	, care point	
resource	Online learning	Online learning
5) Type of	Grinine rearrining	Crimic rearring
resource	Assessment tool	Assessment tools related to falls, f.ex FESI
5) Type of	7.556551116111 1001	rissessment tools related to fails, next Est
resource	Aids	Aids and equipment
5) Type of	71103	Alas and equipment
resource	Blogs	Blog with content related to fall prevention
5) Type of	<mark>DIOG3</mark>	blog with content related to fair prevention
resource	Case study	Common fall events and actions to prevent them
5) Type of	case study	common rain events and actions to prevent them
resource	Podcasts	Podcasts with content related to fall prevention
5) Type of	i odcasts	rodeasts with content related to fair prevention
resource	Presentations	Relevant Power Point presentations, Prezi etc.
Type of	rresentations	Relevant rower rount presentations, rrezrete.
intervention		
6) Type of		
intervention	Medications	Interventions concerning medication or polypharmacy
6) Type of		met ventions concerning medication of polypharmacy
intervention	Vitamins/calcium	Resource has content linked to vitamins (Vitamin D, K2 etc)
intervention		and/or calcium and falls risk or prevention
6) Type of		and/or calcium and rails risk or prevention
intervention	Exercise	Exercise is about the indicate aluminate income.
intervention	EXELCISE	Exercise is structured training aiming to improve
C) Towns of		components such as balance, strength, endurance
6) Type of	PA	Physical activity includes all interventions or resources that
intervention	PA	describes movement, activity etc in general related to falls
C) T		prevention
6) Type of	Dial. access	Dielegeneers
intervention	Risk assessment	Risk assessments
6) Type of	Vision	Internantiana componeira a servicia
intervention	Vision	Interventions concerning poor vision
6) Type of	C	Current
intervention	Surgery	Surgery
6) Type of	Davida - I : - I	Psychological interventions; including motivation, advice
intervention	Psychological	etc
6) Type of	Education	Education
intervention	Education	Education
6) Type of	Fundament 1	Facility and a line an
intervention	Environmental	Environmental interventions
6) Type of	Comme	Decreased to the selection of the second selection of
intervention	<mark>Games</mark>	Proposed technology games to increase physical activity

6) Type of		
intervention	Hearing	Interventions concerning poor hearing
6) Type of		
intervention	<u>Dizziness</u>	Intervention concerning dizziness
6) Type of		
intervention	<mark>Incontinence</mark>	Intervention concerning incontinence
6) Type of	<mark>Housing</mark>	Intervention concerning housing construction in fall
intervention	Construction	prevention
6) Type of		
intervention	Nutrition	Intervention concerning nutrition
6) Type of		
intervention	Restraints	Intervention concerning restraints
6) Type of		
intervention	<mark>Awareness</mark>	Promote and increase public awareness
6) Type of		
intervention	Case finding	Case finding (tools)
6) Type of		None of the above described tags cover the content of this
intervention	No intervention	resource
Additional tag		
7) Additional tag	Balance training	Resource where the intervention aims to improve balance
		Resource where the intervention aims to improve muscle
7) Additional tag	Strength training	strength and power
7) Additional tag	Multifactorial	The resources/intervention/etc are multifactorial
	Single	
7) Additional tag	interventions	The resources/intervention/etc are single interventions
		(should include tags on content and target population)
		Resource where the intervention aims to reduce fear of
7) Additional tag	Fear of falling	falling
		Resource where the intervention is related to cognitive
7) Additional tag	Brain training	rehabilitation
7) Additional tag	Stroke	Resource related to Stroke
7) Additional tag	Parkinson disease	Resource related to Parkinson disease
. ,		

Following recommendations from the partners we included 19 tags (highlighted in yellow in the table) and changed "vitamin D" to "vitamins/calcium". We also changed the group "profession" to "profession and interest groups".

Table 3: List of excluded tags suggested by partners

Tag group 3) Organisations/settings	
Informal carers, relatives, family, community	
Schools for health professionals	
Secondary health care system	
Pharmacy health care system	
Researchers	
Tag group 4) Profession	
Rehabilitation expert	Should be covered by the other tags
Tag group 5) Type of resource	
News	Will not be a permanent tag and therefore not
	included
Training	Will be covered by the app
Tag group 6)Type of intervention	
Healthcare plans	Will be covered by other tags

2.2 Test of the classification scheme on the Web of Science

The resources on the website will be organised by use of different categories. Results from web searches of the first 11 included categories are presented here.

Results indicate that the records found by the search are relevant, where the most recorded category was "geriatrics gerontology".

We used simple searches of each category, results are presented below.

- 1. Topic=(falls) AND Topic=(elder*)
 - Results showed that "geriatrics gerontology" was the most recorded category (24.8%), 2180 out of 8803 records
- 2. Topic=(falls) AND Topic=(epidemiology)
 - Results showed that "Public environmental occupational health" was the most recorded category (16.9%), 559 out of 3302 records
- 3. Topic=(falls) AND Topic=(interventions)
 - Results showed that "geriatrics gerontology" was the most recorded category (10.6 %), 918 out of 8680 records
- 4. Topic=(falls) AND Topic=(interventions) AND Topic=(hospital)
 - Results showed that "geriatrics gerontology" was the most recorded category (12.8%), 193 out of 1505 records
- 5. Topic=(falls) AND Topic=(interventions) AND Topic=(residental OR nursing home)
 - Results showed that "geriatrics gerontology" was the most recorded category (42.6%), 241 out of 566 records
- 6. Topic=(falls) AND Topic=(interventions) AND Topic=(community)

- Results showed that "geriatrics gerontology" was the most recorded category (24%), 463 out of 1930.
- 7. Topic=(falls) AND Topic=(interventions) AND Topic=(disease)
 - Results showed that "medicine general internal" was the most recorded category (13%) with 238 out of 1825 records
- 8. Topic=(falls) AND Topic=(interventions) AND Topic=(exercise)
 - Results showed that "geriatrics gerontology" was the most recorded category (23.5%), 303 out of 1292 records
- 9. Topic=(falls) AND Topic=(interventions) AND Topic=(environmental)
 - Results showed that "public environmental occupational health" was the most recorded category (19.3%), 74 out of 384 records
- 10. Topic=(falls) AND Topic=(interventions) AND Topic=(clinical trials)
 - Results showed that "medicine general internal" was the most recorded category (15.8%), 157 out of 995 records
- 11. Topic=(falls) AND Topic=(interventions) AND Topic=(psychological)
 - Results showed that "geriatrics gerontology" was the most recorded category (16.8%), 47 out of 280 records
- 12. Topic=(falls) AND Topic=(interventions) AND Topic=(technology)
 - Results showed that "rehabiliatation" was the most recorded category (9.7%), 20 out of 207